Edge AI Solutions

Empowering AI at the Edge with Software and Services

- Overview
- Product Offering
- Software & Services
- Application Stories
- Selection Guide





EdgeAI SDK intel GETi NVIDIA AI Enterprise

ADVANTECH

Enabling an Intelligent Planet

www.advantech.com



Explore Our Solutions

Built to Accelerate your Business

The range of use cases for Edge AI is highly diverse, necessitating varied AI computing capabilities and industrial designs. Advantech collaborates with multiple partners to develop edge AI solutions that integrate hardware and software, facilitating the accelerated deployment of AI across industries such as manufacturing, healthcare, retail, and smart cities. Our offerings harness CPU, VPU, or GPU technologies from eco-partners, delivering multifaceted AI solutions that efficiently scale AI applications while optimizing budget and resource utilization.

Comprehensive Offerings

Ranging from AI acceleration modules, inference systems to servers.

Edge AI Design-in Services

Including advanced thermal solutions, embedded software service, and peripheral integration.

Industrial Grade

All products include 5 to 7 years longevity support with strict revision management.

Full Software Support

Including Edge AI SDK, DeviceOn, Robotic Suite, and Ubuntu.

NVIDIA intel AMD HAILO kinara AXELERA ARTIFICIAL INTELLIGENCE

AI Acceleration Modules »

EAI Series

4.5~26 TOPS (INT8)







Robotic Suite

DeviceOn

EdgeAI SDK

NVAIE

Intel Geti



Edge AI Servers >>

AIR-500 Series

8~160 TFLOPS (FP32)

NVIDIA CERTIFIED



Edge AI Inference Systems >>

AIR-000/100/300 Series

13~275 TOPS (INT8)

Diversity Drives Edge AI

Edge AI applications span a wide range of industries, including manufacturing, smart cities, retail, and healthcare. With the vast potential of AI across such a diverse spectrum, a variety of hardware is necessary to efficiently handle different AI workloads with distinct computing power optimizations and combinations.

Advantech offers comprehensive edge AI solutions, including AI acceleration modules, inference systems, and servers that utilize a variety of AI technologies from eco-partners. This provides customers with a broad selection to swiftly deploy AI at scale across the entire range of workloads, all while optimizing budget and resource utilization.

10 Tops — 30 Tops — 50 Tops — 100 Tops — 200 Tops — 300 Tops

Light-Weight AI | **Medium AI** | **Heavy AI**


Public Safety


Worker Safety


Traffic Monitoring


Medical Imaging


Access Control


AMR & Robot


Defect Inspection


On-Premise Training

VPU/NPU

HAILO

AXELERA ARTIFICIAL INTELLIGENCE

kinara

CPU Integrated AI

NVIDIA

NXP

intel

Qualcomm

AMD

MEDIATEK

GPU

NVIDIA

intel

EAI Series »

AI Acceleration Modules

Advantech offers the EAI series, which features low-power plug-in AI modules and GPU cards designed to expedite real-time inference on edge platforms. This enhances the scalability and affordability of AI applications at the edge.



Key Features

AI Acceleration at the Edge

Varied AI add-on solutions for different computing power and inferencing requirements

Quick Integration for Industrial Usage

Open standard form factors with optimized thermal solutions for a wide temperature range

Superior Image Processing and Analysis

Optimize imaging quality and enhance visual processing flexibility to improve AI-assisted vision analysis

Easy-to-use AI Development Toolkits

Including inference benchmark evaluation, runtime SDK integration, and consulting services

Product Selection



HAILO
Hailo-8™
EAI-1200 Series
Up to 26 TOPS



intel.
Intel Arc A370M GPU
EAI-2100
Up to 4.198 TFLOPS



intel.
Intel Arc A370M GPU
EAI-3100
Up to 4.198 TFLOPS



intel.
Intel Arc A380E GPU
EAI-3101
Up to 5.018 TFLOPS

M.2 M/B+M/A+E key
< 10 Watts

MXM Type A 3.1
<= 50 Watts

PCIe Gen4 x16
> 50 Watts

AIR-000/100/300 Series »

Edge AI Inference Systems

Advantech AIR-000/100/300 series edge AI inference systems offer a variety of CPU options and integrate AI capabilities seamlessly. They feature a compact design and low power consumption, making them ideal for applications in autonomous robotics and automated optical inspection fields.



Key Features

Scalable Edge AI Performance

Comprehensive range of CPUs, including Intel and NVIDIA Jetson, with built-in AI capabilities

Vertical I/O Support for Industrial Applications

Rich I/Os enable connectivity for multi-function devices and video capture interfaces

Ready-to-deploy AI System

Pre-installed with Ubuntu OS and software toolkits such as Edge AI SDK, DeviceOn, and Robotic Suite

Easy Installation for Harsh Environments

Compact and rugged design supports a wide range of operating temperatures and voltage inputs

Product Selection



AIR-150

- 13th Gen Intel® Core™ i5/i3
- 26 TOPS AI capability

Intel Mobile CPU | M.2 VPU

AIR-030

- NVIDIA Jetson AGX Orin Platform
- Up to 275 TOPs

Arm Cortex | SoC AI

AIR-310

- 14th Gen Intel® Core™ i3/i5/i7/i9
- 1x MXM 3.1 Type A GPU, up to 60W
- Quadro A2000 up to 8.64 TFLOPS

Desktop CPU | MXM GPU

Performance/ Watt

AIR-500 Series »

Edge AI Servers

Advantech's AIR-500 series AI servers provide extreme AI power with high-performance CPUs and GPUs. They are designed for graphics-intensive workloads, on-premise training applications in medical, automation, and LLM training fields.

NVIDIA CERTIFIED



Key Features

Unmatched Acceleration for AI, and Data Analytics

High-performance CPU with definable GPU configuration

Robust and Reliable Designs

Effective thermal management and anti-vibration bracket design


AI-Ready Enterprise Platforms

Can be configured with licensed NVIDIA AI Enterprise & Intel Geti Platform

NVIDIA Certified Edge AI Server

Ensures GPU performance and AI SDK compatibility.


Product Selection



End-to-End Edge AI Solutions

Versatile, Accelerated Deployment at Every Phase

The aim is to make Edge AI adoption easier, Advantech offers end-to-end software solutions to address Edge AI implementation challenges across different stages. Initially, it helps enterprises gauge computational needs through its Edge AI SDK, aiding in resource assessment like CPU vs. GPU usage. During model training, Advantech's integration with Intel® GETi™ and NVIDIA AI Enterprise tools expedites development, providing value-added benefits. This integration extends Intel® GETi™'s capabilities to cover both model development and deployment, leveraging NVIDIA's ecosystem for further resources and collaboration. For deployment, DeviceOn's OTA Update and Container Management features streamline the process, enabling continuous data collection for model retraining, ensuring accuracy and validity. Aligning Software Solutions Across Phases of AI Implementation.



Streamlines the AI Implementation Process

Through comprehensive software deployment and integration with hardware design, service capabilities, and ecosystem partners. This saves time and reduces costs associated with AI development, training, and deployment, making Edge AI adoption more accessible for enterprises.

Efficient Resource Utilization


This approach optimizes computational resources like CPU and GPU usage for AI applications, minimizing waste and maximizing performance in Edge AI deployments. This leads to cost savings, improved productivity, and enhanced competitiveness.

Enhanced Scalability and Flexibility

Advantech's recommended solutions for each stage empower enterprises to adjust to evolving business demands and technological progressions. Through the integration of development toolkits from chip partners and service providers, Advantech delivers a flexible approach that caters to various customer needs.

Rapid AI SDK Development Toolkit

Creating an AI-ready development environment can often feel like a formidable challenge. However, Advantech Edge AI SDK, an exceptional toolkit designed to seamlessly support leading AI platforms and their associated inference SDKs, empowers developers to effortlessly harness the boundless potential of AI inference.



Inference Benchmark Tool

No-code GUI for rapid AI inference assessment

Inference Runtime SDK

Compatible installation on Advantech edge devices

TensorRT OpenVINO ROCm HailoRT
eIQ Neural Processing SDK NeuroPilot

Inference Deployment Platform

Managing AI containers remotely with scalable updates

Global Customer Support

Inference computing and edge-to-cloud consulting services

AIoT Device Management and Edge Orchestration

Leveraging Advantech's 40 years of embedded expertise, DeviceOn, an edge orchestration platform, remotely manages over 10,000 AIoT devices across x86/RISC, Windows/Linux/ Android, and in private or public clouds.



Securely Automated Device Onboard

Auto Device Registration, TPM certification, PKI architecture , and Device Security, enables fast and secure connection establishment

Remote Device Monitor and Control

Power On/Off, device remote control with scheduling rules, protection management, and Windows Lockdown

Software OTA Updates & Container Mgmt.

Remotely deliver and update software, firmware, drivers, and configuration at scale.


Edge Integrated Security

Ransomware protection, application whitelisting, system backup, and bare-metal recovery

NVIDIA AI Enterprise

Production-Grade AI Development Platform

The platform provides best-in-class development tools, frameworks, and pretrained models for AI practitioners, as well as reliable management and orchestration for IT professionals to ensure performance, high availability, and security.



Comprehensive AI Devt. Suite

- Data preparation and training
- AI inference library and services

** Powered by NVIDIA RAPIDS, TAO Toolkit, TensorRT, Triton Inference Server

Expert Support and Services

- Advantech Tier 1 services for AI dev infra: OS, drivers, and AI SDKs
- Direct access to Nvidia AI experts

Lifecycle Management & Security Updates

- 2 production branches per year with 9-month lifetime
- Monthly CVE patches and bug fixes

Advanced Software Offerings

- Cross-regional infra: Microsoft Azure
- Remote deployment: Advantech DeviceOn
- IoT security: Trellix, IEC62443 aligned solutions

Annual Subscription	Perpetual License	Notes
• 1-/3-/5-year subscription license • Standard support included	• 5-year standard support included Free Trial • Extendable support on a yearly basis	• Per GPU Licensing • Optional Upgrade for Business Critical Support • Discounted Pricing for Advantech NCS S/W Bundle

Embedded Ubuntu Services

Ubuntu Desktop is a secure OS for Edge AI development, offering extensive software repositories and support for popular programming languages and frameworks.

Ubuntu

User-Friendly Interface

Simplifies navigation for developers and streamlines task execution.

Seamless Integration with Cloud

Enables developers to easily deploy and scale edge AI applications.

Various Tool Options

Supports a wide range of programming languages and frameworks such as Python, TensorFlow, and PyTorch.

Extensive Software Repositories

Allows developers to easily install and manage AI development tools and libraries.

Intel GeTi

Computer Vision AI Platform

Intel's new software platform for building computer vision models in a fraction of the time and with less data. The platform eases laborious data labeling, model training and optimization tasks across the AI model development process, empowering teams to produce custom AI models at scale.



Smart Annotations

Expedite data annotation and easily segment images with professional drawing features like a pencil, polygon tool and OpenCV GrabCut.

Hyperparameter Optimization

Refining hyperparameters is critical to the model's learning process. With built-in optimization, the Intel Geti platform makes a data scientist's job easier.

Interactive Model Training

Build models faster as active learning selects the most informative data samples to achieve working models with fewer data

Production-Ready Models

Output deep learning models in TensorFlow or PyTorch formats or as an optimized model for OpenVINO toolkit to run on Intel® architecture CPUs, GPUs and VPUs.

Starter, Annual License	Business, Annual License	Starter, Annual License	30-Day Free Trial
• 1 name user, 1 instance • Recommended for POC • Basic support	• 3 named users for small team, 1 instance • 2 concurrent model trainings • Basic support	• 10 named users for improved, 1 instance • Up to 4 concurrent model trainings • Basic support	• Drive proof of value • Incur no cost for using the software and generating models • Enables unlimited usage

Windows Embedded and Windows IoT

Windows IoT

Windows IoT supports Edge AI development with various development tools and integrates popular AI frameworks. It seamlessly connects with Azure IoT services, providing an easy-to-use interface and interaction with AI models.

Integration with Azure Services

Allows developers to easily install and manage AI development tools and libraries.

Easy Updates and Maintenance

Simplifies the process of updating and maintaining security patches, new features, and AI model updates

Wide-Range Development Tools and Frameworks

Supports popular AI development frameworks like TensorFlow and ONNX for deploying AI models on edge devices.

Scalability

Facilitates easy scaling of edge AI solutions from small to large deployments.

Success Stories



AI-Enhanced Diagnosis Workstation


Advanced ICT with AI-enhanced diagnostics boosts efficiency in clinical decision-making and medical operations. By allowing personnel to focus on clinical tasks requiring human judgment, the technology reduces error rates. The AIR-510, equipped with a powerful Intel processor and extendable graphics performance, provides performance, reliability, and expandability for medical visualization and data processing applications.

SOLUTIONS

NVIDIA-certified system ensures compatibility with graphic card performance, NVIDIA medical AI models, and NVAIE

BENEFITS

- 10 years of longevity and safety compliance to IEC 62368-1 (CB & UL Certified)
- One-stop shopping for complete hardware systems, Windows IoT or Ubuntu operation systems, and NVAIE or Geti solution software licenses





Enhance Factory Operator Safety with AI Technology


Workplace safety is crucial for employee protection. Our customer sought a vision AI solution to enhance operational safety, efficiency, and productivity. Advantech and CyberLink implemented AI facial recognition for access control and securing restricted areas. Another ISV partner added PPE and idle time detection for improved safety and management

SOLUTIONS

Inference- AIR-020, Software- CyberLink FaceMe, OS-Ubuntu 20.04, SDK- NVIDIA JetPack

BENEFITS

- Leverage solutions developed by ISV partners
- Compact AI system designed for critical working environments
- Ready OS and JetPack enable quick AI development




AI-Powered Surveillance System for Unmanned Self-Service Gas Stations

The AI-driven automatic refueling monitoring system addresses labor shortages at gas stations. The AIR-030, edge AI system with NVIDIA Jetson AGX Orin, monitors the refueling process from nozzle removal to return, using AI image recognition to allow refueling only when the posture is normal. Refueling is automatically halted if suspicious behavior is detected



SOLUTIONS

Inference- AIR-030 with NVIDIA Jetson AGX Orin,
OS- Linux Ubuntu 20.04, SDK- Edge AI SDK



BENEFITS

- Ready-to-use AI inference system with Ubuntu 20.04 built-in and JetPack 5.1.2 SDK
- AI computing power analyzes imaging to monitor and control refueling
- Rich I/O supports high resolution camera connection and industrial protocol communication


Turkey Deploys AI-Assisted Traffic Surveillance and Analysis

Transportation plays a pivotal role in cultivating a content urban populace. Enhancing traffic efficiency to alleviate road congestion is essential for convenient transportation. Advantech's EAI-3100 graphics card and ISSD's VIERO-AI Analysis system provide real-time traffic monitoring. This AI-accelerated analysis tracks vehicle count, density, and speed to enhance urban traffic flow and safety.



SOLUTIONS

Inference-EAI-3100 Intel Arc A370M Graphics card, Software-ISSD VIERO-AI system, SDK-Intel OpenVINO toolkits



BENEFITS

- Ready to run sophisticated AI inference models, e.g., Yolov8.
- Inference latency reduced by 50% compared to previous Movidius solution.
- Construction fee costs reduced by over 33%

Product Selection Guide

Edge AI Inference Systems







Model		AIR-030	AIR-150	AIR-310
CPU/Platform		NVIDIA Jetson AGX Orin 32G/64G	13th Gen Intel® Core™ i3/i5 processor	14th Gen Intel® Core™ i3/i5/i7/i9 processor
AI Performance		up to 275 TOPS	Bundled with Hailo-8 AI module, up to 26 TOPS	Compatible with Intel Arc A370M/ Quadro® A2000, up to 60W
Memory	Technology	LPDDR5	DDR5 5200 MHz	2 x DDR5 5600MHz
	Max. Capacity	32GB/64GB	Up to 64 GB	Up to 64 GB
Display		1 x HDMI 2.0, 3840 x 2160@60Hz	2x HDMI 2.0, 4096x2160@60Hz	1 x HDMI 2.0, 4096x2160@60Hz 1 x DP++, DP 1.4a, up to 4096 x 2304@60 Hz
Ethernet	Speed/Controller	3 x 2.5GbE, Intel I225-LM	1x GbE, Intel I219-LM 1 x 2.5 GbE, Intel I226-LM	1 x GbE, Intel I219-LM 2 x 2.5 GbE, Intel I226-LM
	PoE	LAN1 & 2 optional, by adding MIOe-PSE	-	-
I/O Ports	USB 3.0 / USB 2.0	4 x USB 3.2 2 x USB 2.0 (internal)	3 x USB 3.2 1 x USB 2.0	4 x USB 3.2
	COM	4 x RS232/422/485	2 x RS-232/422/485 1 x RS-485	2 x RS232/422/485
	DIO	16-bit	8-bit	16-bit
	CANBus	2	2	2
	Audio	Line-out	Line-out/Mic-in (switch)	Line-out/Mic-in (switch)
Storage	eMMC	64GB	-	-
	2.5" SATA/ SATA Slim	-	1x SATA Slim	1x 2.5" SATA
	M.2	1 x M.2 B-Key 2280/3052 (PCIe x2, USB 3.0)	1 x M.2 M-Key 2280 (PCIe Gen4 x4, SATA)	1 x M.2 M-Key 2280 (PCIe Gen3 x4, SATA)
	SD Card	1 x SD 3.0 slot	-	-
Expansion	M.2	1 x M.2 E-Key 2230	1 x M.2 E-Key 2230 1 x M.2 B-Key 3042 (default w/ Hailo module)	1 x M.2 E-Key 2230
	PCI Express	1 x PCIe x16 (Optional, signal: PCIe x 8)	-	-
	GPU Card	-	-	1 x MXM3.1 Type A up to 60W
	MIPI	2	-	-
Others	Trusted Platform Module	on-board TPM 2.0	on-board TPM 2.0	on-board TPM 2.0
Power	Power Input	9-36V	12-24V	12-24V
Operating System		Built-in Linux Ubuntu 20.04 (JetPack 5.1.2)	Windows 11/10 IoT/Ubuntu 22.04	Windows 11/10 IoT/Ubuntu 22.04
Operating temp. (with 0.7 m/s air flow)		-10~55°C (MODE_50W)	-20~60°C	-20~55°C (w/o MXM GPU) 0~50°C (w/ MXM GPU)
Dimensions (W x H x D)		200 x 220 x 74 mm	156 x 112 x 60 mm	215 x 220 x 55 mm

Note: "-" : means Not Applicable (N/A)

AI Acceleration Modules & GPU Cards







Model	968DD00320	968DD00322	968DD00323
AI Accelerator	Hailo-8™ AI Processor	Hailo-8™ AI Processor	Hailo-8™ AI Processor
Signal Interface	PCI Express 3.0 x4	PCI Express 3.0 x2	PCI Express 3.0 x2
Form Factor	M.2 Key M	M.2 Key A+E	M.2 Key B+M
Dimensions	22 x 42 mm 22 x 60 mm 22 x 80 mm	22 x 30 mm	22 x 42 mm 22 x 60 mm 22 x 80 mm
Power Consumption	Typical 2.5W	Typical 2.5W	Typical 2.5W
Operating Temperature	-40 ~ 85°C	-40 ~ 85°C	-40 ~ 85°C
Power Range	3.3V ± 5% power input	3.3V ± 5% power input	3.3V ± 5% power input
Peak Performance (INT8)	26 TOPS	26 TOPS	26 TOPS
Supported AI Framework	TensorFLow, TensorFlow Lite, ONNX, Keras, Pytorch		
Operating system	Windows 10 64-bit, Ubuntu 22.04		

Edge AI Servers





Model		AIR-510	AIR-520	AIR-530
CPU/Platform		14th Gen Intel® Core™ i3/i5/i7/i9 processor	AMD EPYC 7003 series	Arm Cortex-A78AE / IGX Orin Platform
AI Performance		NVIDIA Certified with RTX 6000 Ada (Graphics card up-to 350W)	NVIDIA Certified with 2x RTX A5000 (Graphics card up-to total 700W)	NVIDIA Certified with RTX 6000 Ada (Planning)
Memory	Technology	DDR5 5600 MHz up to 192GB (48GB per DIMM)	DDR4 3200MHz up to 768GB (128GB per DIMM)	LPDDR5 4300 MHz, 64GB
	Socket	4 x UDIMM	6 x RDIMM	on-board
Display		1 x HDMI 2.0, 4096x2160@60Hz 2 x DP 1.2,up to 4096 x 2304 @ 60Hz	1 x VGA via Aspeed AST2500 BMC	1 x DP 1.4a
Ethernet	Speed/Controller	1 x GbE, Intel I219-LM 1 x 2.5 GbE, Intel I226V	1 x Gbe from BMC 2 x 2.5 GbE, Intel I226V 2 x 10 GbE, Intel X550	2 x GbE from BMC or Orin 2 x 100 GbE QSFP28 from ConnectX-7
I/O Ports	USB 3.0 / USB 2.0	7 x USB 3.2 4 x USB 2.0	3 x USB 3.2	4 x USB 3.2
	COM	6 (5 x RS-232, 1 x RS-232/422/485 with auto flow control), optional	1 x RS-232	4 (TBD)
	DIO	1x 8-bit DIO	1x 8-bit DIO	1 (TBD)
Storage	eMMC	-	-	64GB
	2.5" SATA	8 x 2.5" SSD (4 x 2.5"+ 4 x 3.5" by project)	6 x 2.5" SSD (4 x 2.5"+ 4 x 3.5" by project)	4 x 2.5" SSD (4 x 3.5" by project)
	M.2	1 x M-Key 2280 (PCIe Gen4 x4)	1 x M-Key 2280 (PCIe Gen4 x4)	1 x M-Key 2280 (PCIe Gen4 x4)
Expansions	M.2	-	-	1 x B-Key 2280 (PCIe x1 from BMC) 1 x M.2 E-Key 2230
	PCI Express	1 x PCIe x4 (Gen3) 1 x PCIe x4 (Gen4) 1 x PCIe x16 (Gen5)	4 x PCIe x16(Gen4)	1 x PCIe x8 (Gen4) 1 x PCIe x16 (Gen4)
Others	IPMI	-	Aspeed AST2500 BMC IPMI 2.0 with virtual media over LAN and KVM-over-LAN support	Aspeed AST2600 BMC
Power	Power Input	100-240V AC	100-240V AC	100-240V AC
Operating System		Windows 10 IoT / Ubuntu 22.04	Windows Server 2019 / Ubuntu 22.04	IGX SW (OS & NIVIDA AI stack)
Operating temp. (with 0.7 m/s air flow)		0 ~ 40°C	0 ~ 40°C	0 ~ 40°C
Dimensions (W x H x D)		380 x 176 x 467 mm	380 x 176 x 467 mm	380 x 176 x 467 mm

Note: "-" : means Not Applicable (N/A)





Model	EAI-2100	EAI-3100	EAI-3101
GPU	Intel® Arc™ A370M	Intel® Arc™ A370M	Intel® Arc™ A380E
Xe-cores	8	8	8
Intel® XMX Engines	128	128	128
Graphics Clock	1550 MHz	1550 MHz	2000 MHz
FP32 Performance	4.198 TFLOPS	4.198 TFLOPS	5.018 TFLOPS
Memory Capacity	GDDR6 4GB	GDDR6 4GB	GDDR6 6GB
Memory Speed	14 Gbps	14 Gbps	15.5 Gbps
Signal Interface	MXM 3.1 PCI Express 4.0 x8 with 3.0 Backwards Compatibility	PCI Express 4.0 x16, PCIe x8 signal	PCI Express 4.0 x16, PCIe x8 signal
Dimensions (L x H x W)	82 x 70 mm	168 x 110 x 34.8 mm, Dual slot	152 x 110 x 34.8 mm, Dual slot
Form Factor	MXM Type A 3.1	PCI Express 4.0 x16	PCI Express 4.0 x16
Power Consumption	Up to 40W	Up to 60W	Up to 85W
Thermal Solution	Fansink (optional), Heat spreader (optional)	Single active fan	Single active fan
Operating Temperature	0~60°C (depends on thermal solution)	0~60°C (depends on thermal solution)	0~60°C (depends on thermal solution)
Power Connector	Reserved 4-pin power connector for fansink	8-pin power input (optional)	8-pin power input
Power Range	9-20V input (Fan control: 12V only)	DC 12V input	DC 12V input
Display I/O	Reserved 4 x DP 1.4a	2 x DP 1.4a 2 x HDMI 2.0b	4 x DP 1.4a
DP Max. Resolution	7680 x 4320@60Hz	7680 x 4320@60Hz	7680 x 4320@60Hz
HDMI Max. Resolution	-	4096 x 2160@60Hz	-
Supported Graphics Engine	DirectX12, OpenGL 4.6, OpenCL 3.0 HW Encoding: H.264/H.265(HEVC)/AV1 HW Decoding: H.264/H.265(HEVC)/AV1/VP9		
Operating system	Windows 11, 10 64-bit Ubuntu 22.04 LTS		

Regional Service and Customization Centers

China	Kunshan 86-512-5777-5666	**Taiwan**	Taipei 886-2-2792-7818	**Netherlands**	Eindhoven 31-40-267-7000	**Poland**	Warsaw 00800-2426-8080	**USA**	Milpitas, CA 1-408-519-3898

Worldwide Offices

Asia Pacific

Taiwan

Toll Free	0800-777-111
Taipei & IoT Campus	886-2-2792-7818
Taichung	886-4-2372-5058
Kaohsiung	886-7-392-3600

China

Toll Free	800-810-0345
Beijing	86-10-6298-4346
Shanghai	86-21-3632-1616
Shenzhen	86-755-8212-4222
Chengdu	86-28-8545-0198
Hong Kong	852-2720-5118

Middle East and Africa

Israel	072-2410527
Turkey	90-212-222-0422
Turkey-Bursa	90-224-413-3134

Asia Pacific

Japan

Toll Free	0800-500-1055
Tokyo	81-3-6802-1021
Osaka	81-6-6267-1887
Nagoya	81-0800-500-1055
Nogata	81-949-22-2890

Korea

Toll Free	080-363-9494/5
Seoul	82-2-3660-9255

Singapore

Singapore	65-6442-1000

Malaysia

Kuala Lumpur	60-3-7725-4188
Penang	60-4-537-9188

Thailand

Bangkok	66-02-2488306-9

Vietnam

Hanoi	84-24-3399-1155
Hochiminh	84-28-3836-5856

Indonesia

Jakarta	62-21-751-1939

Australia

Toll Free	1300-308-531
Melbourne	61-3-9797-0100

India

Bangalore	91-94-4839-7300
Pune	91-94-2260-2349

Europe

Netherlands

Eindhoven	31-40-267-7000
Breda	31-76-523-3100

Germany

Toll Free	00800-2426-8080/81
Munich	49-89-12599-0
Düsseldorf	49-2103-97-855-0

France

Paris	33-1-4119-4666

Italy

Milan	39-02-9544-961

UK

Newcastle	44-0-191-262-4844
London	44-0-870-493-1433

Spain

Madrid	34-91-668-86-76

Sweden

Stockholm	46-0-864-60-500

Poland

Warsaw	48-22-31-51-100

Russia

Moscow	8-800-555-01-50
St. Petersburg	8-812-332-57-27 8-921-575-13-59

Czech Republic

Ústí nad Orlicí	420-465-524-421

Ireland

Galway	353-91-792444

Americas

North America

Toll Free	1-888-576-9668
Boston	1-949-420-2531
Chicago	1-888-576-9668
Cincinnati	1-513-742-8895
Irvine	1-949-420-2500
Milpitas	1-408-519-3898
Ottawa	1-815-433-5100

Brazil

Toll Free	0800-770-5355
São Paulo	55-11-5592-5367

Mexico

Toll Free	1-800-467-2415
Mexico City	52-55-6275-2777

ADVANTECH

Enabling an Intelligent Planet

www.advantech.com

Please verify specifications before ordering. This guide is intended for reference purposes only.
All product specifications are subject to change without notice.
No part of this publication may be reproduced in any form or by any means, electronic, photocopying, recording or otherwise, without prior written permission of the publisher.
All brand and product names are trademarks or registered trademarks of their respective companies.
© Advantech Co., Ltd. 2024

8600000657